

AMENDMENTS TO THE CLAIMS

1. (Previously presented) An image processing method for a digital image, characterized in that interpolation signals between discrete original pixels used for calculating an output pixel value are calculated by an FIR digital filter using as an interpolation function a function obtained by composing a function based on a cubic convolution method and a function-based on a bilinear method,

wherein said FIR filter uses as an interpolation function a function that is obtained by composing a part of the function based on the cubic convolution method and a part of the function based on the bilinear method and is asymmetric with respect to the right and left.

2. (Canceled)

3. (Previously presented) An image processing device for a digital image, characterized by comprising an FIR digital filter using as an interpolation function a function obtained by composing a function based on a cubic convolution method and a function based on a bilinear method for an interpolation signal between discrete original pixels used for calculating an output pixel value,

wherein said FIR filter uses as an interpolation function a function that is obtained by composing a part of the function based on the cubic convolution method and a part of the function based on the bilinear method and is asymmetric with respect to the right and left.

4. (Canceled)

5. (Previously presented) The image processing method as claimed in claim 1 is for enlarging or reducing the digital image.

6. (Previously presented) The image processing device as claimed in claim 3 is for enlarging or reducing the digital image.

7. (Previously presented) An electronics apparatus for a digital image, characterized by comprising an FIR digital filter using as a function a right-and-left asymmetrical interpolating function obtained by composing a function based on a part of a cubic convolution method and a part of a bilinear method for an interpolation signal between discrete original pixels used for calculating an output pixel value.

8. (Previously presented) The electronics apparatus as claimed in claim 7 is for enlarging or reducing the digital image.

Please add the following new claims.

9. (New) The image processing method as claimed in claim 1, wherein the degree of said FIR is a second order.

10. (New) The image processing method as claimed in claim 1, wherein the bilinear method is used for a left area of $x < 0$ and the cubic convolution method is used for a right area of $x \geq 0$.

11. (New) The image processing method as claimed in claim 10, wherein a boundary between said left and right areas is set to $x = 0$.

12. (New) The image processing method as claimed in claim 1, wherein the cubic convolution method is used for an area of $x \leq 0$, and the bilinear method is used for an area of $x > 0$.

13. (New) The image processing device as claimed in claim 3, wherein the degree of said FIR is a second order.

14. (New) The image processing device as claimed in claim 3, wherein the bilinear method is used for a left area of $x < 0$ and the cubic convolution method is used for a right area of $x \geq 0$.

15. (New) The image processing device as claimed in claim 14, wherein a boundary between said left and right areas is set to $x = 0$.

16. (New) The image processing device as claimed in claim 3, wherein the cubic convolution method is used for an area of $x \leq 0$, and the bilinear method is used for an area of $x > 0$.

17. (New) The electronics apparatus as claimed in claim 7, wherein the degree of said FIR is a second order.

18. (New) The electronics apparatus as claimed in claim 7, wherein the bilinear method is used for a left area of $x < 0$ and the cubic convolution method is used for a right area of $x \geq 0$.

19. (New) The electronics apparatus as claimed in claim 18, wherein a boundary between said left and right areas is set to $x = 0$.

20. (New) The electronics apparatus as claimed in claim 7, wherein the cubic convolution method is used for an area of $x \leq 0$, and the bilinear method is used for an area of $x > 0$.

21. (New) An image processing method for a digital image, the method comprising:

sampling discrete original pixels of an image;

calculating a value of an interpolation pixel in an area of said image between one of the discrete original pixels and another of the discrete original pixels,

wherein the calculating step includes applying a processing method to said one of the discrete original pixels, and applying another method different than said processing method to said another of the discrete original pixels.

22. (New) The image processing method as claimed in claim 21, wherein said processing method is a bilinear method and said another method is a cubic convolution method.

23. (New) The image processing method as claimed in claim 21, wherein said processing method is a cubic convolution method and said another method is a bilinear method.

24. (New) The image processing method as claimed in claim 21, wherein a digital image is enlarged.

25. (New) The image processing method as claimed in claim 21, wherein a digital image is reduced.

26. (New) An image processing device for a digital image, the device comprising:

an FIR digital filter adapted to perform the calculating step of claim 21, the degree of said FIR being a second order.